

 

 Customer:
 The Hemp Doctor

 Address:
 118 Ewart PI. Mooresville, NC 28177

 Sample ID:
 FS-20mg Blue Razz Ring

 Matrix:
 Edible

 Labnumber:
 21K0057-01

 Total mass or volume per unit (g or mL): 8.9082





**Cannabinoid Profile** 

t Conditions: 16°C raction Technician: SH lytical Chemist: SH		Extraction Date(s) 11/17/2021		Analysis Date(s) 11/18/2021	
Cannabinoids (HPLC)			Results		
	LOD (mg/g)	%	mg	/g	mg/Gummy
Cannabidivarin (CBDV)		0.002	0.020		0.182
Cannabidiolic Acid (CBD-A)		0.0003	0.00292		0.026
Cannabigerolic Acid (CBG-A)	<0.002				
Cannabigerol (CBG)		0.004	0.038		0.340
Cannabidiol (CBD)		0.25	2.45		21.8
Tetrahydrocannabivarin (THCV)	<0.002				
Cannabinol (CBN)	<0.002				
Cannabichromene (CBC)		0.004	0.039		0.350
delta 9-Tetrahydrocannabinol (THC)		0.003	0.032		0.286
delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.004				
delta 8-Tetrahydrocannabinol		0.0004	0.00353		0.031
(6aR,9S)-delta-10-THC	<0.004				
(6aR,9R)-delta-10-THC	<0.004				
Cannabinoids Total		%		mg/g	
Max Active THC (delta-9-tetrahydrocannabinol)		0.00		0.03	
Max Active CBD		0.25		2.45	
T.Active Cannabinoids		0.26		2.56	
Total Cannabinoids		0.26		2.59	

Following USDA guidelines on uncertainty, Altitude Consulting's uncertainty is calculated to be +/- 2% for all cannabinoids using a coverage factor of 2 (95% confidence interval). Measurement uncertainty has not been factored into reported values. Blank results indicate the compound was below the limit of detection.

(mg/g) Cannabinoid 3 2 (6aR,9R)-delta-10-THC (6aR,9S)-delta-10-THC Cannabichromene (CBC) Cannabidiol (CBD) Cannabidiolic Acid (CBD-A) Cannabidivarin (CBDV) delta-9-Tetrahydrocannabinolic Acid (THC-A) delta 9-Tetrahydrocannabinol (THC) Cannabigerol (CBG) Cannabigerolic Acid (CBG-A) Cannabinol (CBN) delta 8-Tetrahydrocannabinol Tetrahydrocannabivarin (THCV)

## Gary Brook - Laboratory Director - 11/18/2021

Reporting Limits will vary based on sample extraction weight used for the analysis.

The results of this report are based solely on the sample submitted and cannot be reproduced. Decision Rule: Measurement uncertainty is not accounted for in the reported values. Results are based solely on calculated numbers. Altitude Consulting makes no Statements of conformity. Pesticide, metal, and microbial analyses are subcontracted to ISO 17025 laboratories.

3262 S Platte River Drive, Englewood CO 80110 • Ph: 303.390.1662 • Email: contact@AltitudeConsultingllc.com