CERTIFICATE OF ANALYSIS



Hemp Nectar

Customer: 21323 1-76 Frontage Road

Hudson, CO 80642

Batch #: HDBLEND#3076

Laboratory Number: ATL-15303

Report Issue Date: 9/11/2023

Order Date: 9/11/2023

Analysis Date: 9/11/2023

Sample Description:

D8,HHC,Rosin,THCP Hemp Nectar Blend

Unit Weight: 1g / Distillate



Extraction Technician: LL Analytical Chemist: LL

Kim Dang

CANNABINOID PROFILE-25 COUNTS

Analyte	LOQ (mg/g)	Results mg/g	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D

Analyte	Analyte LOQ Result		%
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	447.860	44.786
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D
95-ННС	<0.009	156.680	15.668
9R-HHC	<0.013	285.440	28.544
СВС	<0.009	N/D	N/D
СВС-А	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/g	%
THC-A	<0.005	N/D	N/D
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	11.360	1.136
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
95-ННСР	<0.010	N/D	N/D
9R-ННСР	<0.010	N/D	N/D
11-OH-D8-THC	<0.005	N/D	N/D

Max Active	ТНС	mg/g N/D	% N/D/	X
Max Active	CBD	mg/g N/D	% N/D	/

Total Active Cannabinoids	mg/g 901.34	% 90.13	7
Total Cannabinoids	mg/g 901.34	% 90.13	

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarinic Acid(CBDVA) Cannabidivarinic Acid(CBDVA) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerolic Acid(CBGA) Cannabidioriol(CBDV)

Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBDA) Cannabino

Document ID: ATL-225A Revision: 02 Effective Date:8/2/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification



